

Packing the Organ

FIRST: Use the provided checklist of parts (on final page) as you pack to make sure ALL parts are accounted for.


• Case A contents:

- Kit's 2 longest pipes: the extra tunable pipe and the low C from the 4' capped rank
- Hose
- Feeder bellows (with 2 handles for pumping, not for lifting)
- Wind trunk
- 2 baggies: tusks & trackers
- All frame components: 4 legs, 4 long rails, 4 short side rails, keyboard retainer
- Keyboard, divided unevenly between middle B & C: 11 lower keys, 13 higher keys
- Non-slip pad (for use under feeder bellows)
- Instruction manuals




Packing continued... Case A

Case A: lowest layer



- First & lowest layer:
 - Kit's 2 longest pipes:
 - Extra, tunable pipe
 - low C from 4' capped rank
 - Lowest side tray:
 - Hose, coiled

Case A: 2nd layer




- Second layer:
 - Insert feeder bellows, handles towards the case hinges
 - Right-side tray:
 - Windtrunk
 - 4 side rails of frame



- Foam covers
 - Over feeder bellows
 - Over side rails

Packing continued... Case A



- Third layer:
 - Tray of frame components on left (please note that the keyboard retainer with suede should tuck alongside the frame legs)
 - Keyboard trays stacked on right



- Final layer:
 - Non-slip pad & instruction manuals & book of music lay on top of the frame components




- Close lid, securing all FIVE (5) latches (see position of latches in above photo *). Push latches all the way in – 2 clicks.
- **Cable ties** through the TWO (2) silver rings should be used to secure the lid for shipping

Packing continued... Case B

- **Case B contents:**

- Toe board
 - Sliders (2)
 - Windchest
- } Assembled & packed together
- Reservoir bellow (with metal weight on top)
 - Pipes:
 - 47 of the kit's 49 pipes are packed in Case B
 - Remember that the kit's 2 longest pipes (extra tunable pipe and low C of capped 4' rank) are packed at the bottom of Case A
 - 42 of the pipes fit across 4 trays
 - These 4 trays are stacked, in any order, on the right side of the case



Packing continued... Case B



- First and lowest layer:
 - 5 of the shortest capped 4' pipes
 - Windchest-sliders-toe board assembly
 - Insert the reservoir bellows with the weighted lid facing the center of the case



- Stack four (4) trays of pipes on right side of case
 - Any order



- Close lid, securing all FIVE (5) latches * Push latches all the way in – 2 clicks.
- **Cable ties** through the TWO (2) silver rings should be used to secure the lid for shipping

Checklist of Organ Parts for use with Pelican Cases

- 2 Cases with multiple interior trays & various blocks of foam
- 1 Non-slip Pad - for placing under the feeder bellows when pumping
- Wind Trunk
- 1 Adjustable (tunable) Pipe
- Reservoir Bellows (bellows with weighted top)
- Windchest (aka Pallet Box)
- 2 Sliders
- Toe Board
- Feeder Bellows (with handles ~ please do not lift by handles)
- Hose
- 24 4' Gedeckt (capped) Pipes
- 24 2' Flute (tapered & open) Pipes
- 24 Keys
- 12 frame pieces
 - 4 long frame legs
 - 4 short frame side rails
 - 4 long frame front & back rails (2 rails with metal pivot & guide pins)
- Keyboard Retainer (long wood rail with one edge wrapped in suede)
- 2 baggies of little parts: SEE BAGS for up-to-date quantities
 - ____ Tusks (16 + ____ extra)
 - ____ Trackers (24 + ____ extra)
- Instruction Manuals (7 total)
 - 1 Assembly Overview
 - 1 Packing (& Shipping - when applicable)
 - 5 Assembly Manuals (frame, keyboard, tracker action, pipes, wind)

Questions: Call or text _____

Email: _____